

**Name:** \_\_\_\_\_  
**Date:** \_\_\_\_\_  
**Track:** \_\_\_\_\_

**Track Conditions**

Size:  Open  Med.  Tight  
 Traction:  High  Med.  Low  
 Surface:  Smooth  Med.  Bumpy

**Result**

Race Time / Lap: \_\_\_\_\_  
 Best Lap (1Lap): \_\_\_\_\_

**Front Suspension**

Rebound Stop: \_\_\_\_\_

Upright:  E2105-B  
 E2129

Tension Rod:  E2107A(Long)  
 E2107B(Short)

Upper Arm Position:

Ride Height: \_\_\_\_\_  
 Toe Angle: \_\_\_\_\_  
 Kingpin Ball Spacer(Upper): \_\_\_\_\_  
 (Lower): \_\_\_\_\_

Wheel Hub: \_\_\_\_\_  
 Anti Roll Bar: \_\_\_\_\_  
 Upper Arm Spacer: \_\_\_\_\_

Lower Arm Spacer: \_\_\_\_\_  
 Lower Arm Position (Kick Up):

**Front Shocks**

Piston: \_\_\_\_\_  
 Oil: \_\_\_\_\_  
 Spring: \_\_\_\_\_

Shock Position:

Pivot Ball Position:  Front  Rear

**Rear Suspension**

Rebound Stop: \_\_\_\_\_

Upper Arm Position:

Lower Arm Position (Anti-Squat):

Ride Height: \_\_\_\_\_  
 Camber Angle: \_\_\_\_\_  
 Wheel Hub: \_\_\_\_\_  
 Anti Roll Bar: \_\_\_\_\_  
 Lower Arm Spacer: \_\_\_\_\_

Upright Spacer:  
 Upright:  E2131(Plastic)  
 E2134(Aluminum)

Lower Arm Position (Toe Angle):

**Steering Ackerman**

Front

**Rear Shocks**

Piston: \_\_\_\_\_  
 Oil: \_\_\_\_\_  
 Spring: \_\_\_\_\_

Shock Position:

Pivot Ball Position:  Front  Rear

**Weight**

\_\_\_\_\_ g      \_\_\_\_\_ g

**Power Train**

Motor: \_\_\_\_\_  
 ESC: \_\_\_\_\_  
 Battery: \_\_\_\_\_

**Diff. Oil**

Front: \_\_\_\_\_ O-Ring: \_\_\_\_\_ pcs.  
 Center: \_\_\_\_\_ pcs.  
 Rear: \_\_\_\_\_ pcs.

**Tires**

	Front	Rear
Type:	_____	_____
Compound:	_____	_____
Inserts:	_____	_____
Wheel:	_____	_____

**Gearing**

Pinion Gear:  12T  13T  14T  
 15T  16T  17T  
 18T

Spur Gear:  44T(E0255)  46T(E0256)

**Body/Wing**

Body: \_\_\_\_\_  
 Wing: \_\_\_\_\_

Wing Position:

**Comments**

.....  
 .....  
 .....