

DRIVER		
DATE		
TRACK	Carpet <input type="radio"/> Asphalt <input type="radio"/>	
TRACTION	<input type="radio"/> LOW <input type="radio"/> MEDIUM <input type="radio"/> HIGH	
LAYOUT	<input type="radio"/> SLOW <input type="radio"/> MIXED <input type="radio"/> FAST	
TEMP °C	AIR	TRACK
ELECTRONICS		
ESC	ESC SET	MOTOR
SERVO	RECEIVER	BATTERY
TIRES		
BRAND		
TYPE		
ADDITIVE		
WARMER °C	FRONT	REAR
TIME(min)	FRONT	REAR
SHOCK ABSORBERS		
PISTON	FRONT	REAR
SHOCK CASE		
OIL		
SPRING		
ANTI ROLL BAR FRONT/REAR		
<input type="radio"/> 1,0	<input type="radio"/> 1,1	<input type="radio"/> 1,2
<input type="radio"/> 1,0	<input type="radio"/> 1,1	<input type="radio"/> 1,2
REAR DIFFERENTIAL		
DIFF OIL CST (1,6g oil qty.)		
GEAR RATIO (T)Spur/(T)Pinion*1,9=Ratio		
PINION		SPUR
AERODYNAMIC SETTINGS		
BODY TYPE		
WING TYPE		
WING POS	(mm)	
BODY POSITION (see picture below)	(mm) \leftrightarrow horizontal	
FRONT BODY HEIGHT & POSITION	REAR BODY POST A2407C <input type="radio"/>	REAR BODY POST A2416B <input type="radio"/>
(mm) vertical \updownarrow	(mm)	(mm)

STEERING LIMITER

A2304 (5mm)

A2305 (5.5mm)

A2306 (6mm)

STEERING ANGLE IN°

STEERING ANGLE OUT°

A2421 USED

YES

NO

A2421 SHIM(mm)

UPPER ARM POS. FR(mm)

FF(mm)

LOWER ARM POS. FR(mm)

FF(mm)

SHOCK POS (mm)

STEERING ROD POS (mm)

SHIM UPRIGHT L (mm)

UPPERARM POS. (CASTER)

REAR/5° FRONT/4°

SHIM UPRIGHT T(mm)

CAMBER/°

TOE OUT/°

OFFSET (mm)

FRONT

ACKERMANN SHIM (mm)

SHIM S HORN (mm)

LENGTH S HORN (mm)

TYPE SERVO HORN

A2529 POSITION

INSIDE

OUTSIDE

A2530 POSITION

INSIDE

OUTSIDE

REAR TOE ROD POS

FRONT

REAR

UPPERARM POS. (CASTER)

FRONT/-4° REAR/-3°

SHIM UPRIGHT T (mm)

CAMBER/°

TOE IN/°

OFFSET (mm)

REAR

UPPER ARM POS. RF(mm)

RR(mm)

LOWER ARM POS. RF(mm)

RR(mm)

SHOCK POS (mm)

TOE ROD POS (mm)

SHIM UPRIGHT L (mm)

A2219

A2224

TOE IN/°

OFFSET (mm)

RIDE HEIGHT(mm)

DOWNSTOP(mm)

BATTERY POSITION FRONT **REAR**

A2422(10g)

A2422(10g)

H2412 (18g)

A2422(10g)

FRONT/REAR WEIGHT DISTRIBUTION HOLE# 1 2 3 4 5

CHASSIS TYPE

MM SCREW

YES **A2419**

NO

OPTIONAL WEIGHT

A2422(10g)

A2424

A2425

A2705

A2706

WEIGHT(g)

BELT TENSION

FRONT POS.

REAR POS.

A2419 SCREW

1pc. UPPERDECK TYPE

2pc. UPPERDECK TYPE

UPPERDECK SCREW

A2158

A2158

REMARKS