

Name: _____
Date: _____
Track: _____

Track Conditions

Size: Open Med. Tight
Traction: High Med. Low
Surface: Smooth Med. Bumpy

Front suspension

Camber angle _____
Track width _____ mm
Ride height _____ mm
Camber angle _____ °
Upper Arm Spacer _____ mm
Toe angle _____ °
Rebound stop _____ mm
Bump stop None Use
Lower arm spacer _____ mm
Upper arm position _____ mm
Anti-roll bar _____

Front shock

Piston _____
Oil # _____
Springs _____
Shock position

Steering ackerman

A
 B
 C
 D

Rear suspension

Body mount arm _____
Camber angle _____
Track width _____ mm
Ride height _____ mm
Camber angle _____ °
Toe angle _____ °
Rebound stop _____ mm
Bump stop None Use
Lower arm position(H0134) 4.5mm 5.5mm
Upright spacer _____ mm
Upright spacer
Rebound stop _____
Body mount arm
 Long (H0466C)
 Short (H0466D)

Rear shock

Piston _____
Oil # _____
Springs _____
Shock position

Anti-roll bar Wire _____ mm
 _____ mm
 Adjustable

Engine

Type _____
Gasket _____ mm Muffler _____
Plug _____ Fuel _____

Clutch

Clutch shoe Black Gray Yellow
Centrifugal shoe _____
Spring _____
Clutch bell clearance _____ mm
Spring adj. nut position _____ mm

Tire

<Front>	<Rear>
Type _____	Type _____
Dia.(start) <u> L </u> / <u> R </u>	Dia.(start) <u> L </u> / <u> R </u>
Dia.(finish) <u> L </u> / <u> R </u>	Dia.(finish) <u> L </u> / <u> R </u>

Brake pad

Black Yellow

Body

Type _____
Body position _____ mm
Rear spoiler _____ mm

Drive ratio

Gear ratio _____ Side pulley _____
1st. / 25T
2nd. / 26T

Result

Race time / Lap _____
Best lap (1Lap) _____

Comments:

.....
.....
.....