

Name: _____
 Date: _____
 Track: _____

Track conditions

Size: Open Med. Tight
 Traction: High Med. Low
 Surface: Smooth Med. Bumpy

Front suspension

Track width _____ mm
 Ride height _____ mm
 Camber angle _____ °
 Upper arm spacer _____ mm
 Toe angle _____ °
 Rebound stop _____ mm
 Bump stop None Use
 Upper arm position _____ mm
 Anti-roll bar T0138-B T0164
 Upright position _____ mm

Front shock

Piston _____
 Oil # _____
 Spring _____
 Sock position _____

Front Diff.

One way
 Gear diff. Oil # _____
 Solid

Steering ackerman

A
 B
 C

Rear suspension

Track width _____ mm
 Ride height _____ mm
 Camber angle _____ °
 Toe angle _____ °
 Rebound stop _____ mm
 Bump stop None Use
 Lower arm position _____ mm
 Upright spacer _____ mm
 Anti-roll bar Wire ϕ _____ mm
 Adjustable(T0162)
 Wheel Hub Spacer _____ mm
 Upright position _____ mm
 T0144 T0161

Rear Shock

Piston _____
 Oil # _____
 Spring _____
 Shock position _____

Rear Diff.

Oil # _____

Engine Type _____
 Gasket _____ mm Muffler _____
 Plug _____ Fuel _____

Clutch

Clutch shoe Black Gray Yellow
 Centrifugal shoe _____
 Spring _____
 Clutch bell clearance _____ mm
 Spring adj. Nut position _____ mm

Tire <Front> Type _____ Dia.(start) L /R _____ Dia.(finish) L /R _____
 <Rear> Type _____ Dia.(start) L /R _____ Dia.(finish) L /R _____

Brake pad

Black Other

Body Type _____
 Wing _____

Drive ratio

Gear ratio Side pulley
 1st. _____ / _____ 24T
 2nd. _____ / _____ 25T

Result
 Race time / Lap _____
 Best lap (1Lap) _____

Comments:

.....

